

A		B		C	D	E	F																																					
Parameters		Symbol	Minimum	Maximum																																								
1	Total Length	L	254.00	257.00																																								
	Threading Length	l	F.T	F.T																																								
	Major diameter	D	63.06	63.44																																								
	Pitch diameter	D1	61.16	61.36																																								
	Minor diameter	D2	59.54	-																																								
	Chamfer	u	0.00	12.00																																								
	Thread per Inch	TPI	8 UNC																																									
2					3																																							
3					4																																							
4					<table border="1"> <tr> <td>Dimension as per</td> <td>B 18.1.1</td> </tr> <tr> <td>Chemical & Mechanical properties as per</td> <td>ASTM A193</td> </tr> <tr> <td>Thread tolerance class (C)</td> <td>2A</td> </tr> <tr> <td>Grade</td> <td>B7M</td> </tr> <tr> <td>Weight</td> <td>5.75589 kg/piece</td> </tr> </table>			Dimension as per	B 18.1.1	Chemical & Mechanical properties as per	ASTM A193	Thread tolerance class (C)	2A	Grade	B7M	Weight	5.75589 kg/piece	<p>'A' Enlarge View</p>																										
Dimension as per	B 18.1.1																																											
Chemical & Mechanical properties as per	ASTM A193																																											
Thread tolerance class (C)	2A																																											
Grade	B7M																																											
Weight	5.75589 kg/piece																																											
5		<table border="1"> <tr> <td colspan="2">Drawing Number</td> <td>SIZE</td> <td>TITLE</td> <td colspan="2"> </td> </tr> <tr> <td colspan="2">KE-BASE-2200-00360-B18.1.1-A193-B7M-2.1/2x10</td> <td>2.1/2"x10"</td> <td>Stud Bolt</td> <td colspan="2"> Approved By Kapil Aggarwal CEO-MD </td> </tr> <tr> <td colspan="2">AMMENDMENT</td> <td>Date - 02.08.2018</td> <td colspan="3">DIMENSIONS ARE IN MILLIMETERS</td> </tr> <tr> <td>DETAILS</td> <td>REVISION</td> <td>DATE</td> <td colspan="3"> </td> </tr> <tr> <td colspan="2"> REMOVE SHARP EDGES & BURRS </td> <td>SHEET SIZE A4</td> <td>SCALE NTS</td> <td colspan="2"> ROLL FAST STAINLESS STEEL BOLTS HIGH TENSILE BOLTS PRECISION TURNED COMPONENTS </td> </tr> <tr> <td colspan="2"></td> <td colspan="3"> Big Bolt Nut FASTENERS FOR WIND ENERGY ANCHOR BOLTS & FOUNDATION BOLTS </td> <td colspan="2"> KAPIL ENTERPRISES 330 EHTP, HSSIIDC, Kundli Industrial Estate Sonapat-Haryana-131028, Ph:9811009061 Email:-sales@bigboltnut.com, kapil@roll-fast.com </td> </tr> </table>			Drawing Number		SIZE	TITLE			KE-BASE-2200-00360-B18.1.1-A193-B7M-2.1/2x10		2.1/2"x10"	Stud Bolt	Approved By Kapil Aggarwal CEO-MD		AMMENDMENT		Date - 02.08.2018	DIMENSIONS ARE IN MILLIMETERS			DETAILS	REVISION	DATE				REMOVE SHARP EDGES & BURRS		SHEET SIZE A4	SCALE NTS	ROLL FAST STAINLESS STEEL BOLTS HIGH TENSILE BOLTS PRECISION TURNED COMPONENTS				Big Bolt Nut FASTENERS FOR WIND ENERGY ANCHOR BOLTS & FOUNDATION BOLTS			KAPIL ENTERPRISES 330 EHTP, HSSIIDC, Kundli Industrial Estate Sonapat-Haryana-131028, Ph:9811009061 Email:-sales@bigboltnut.com, kapil@roll-fast.com		5		
Drawing Number		SIZE	TITLE																																									
KE-BASE-2200-00360-B18.1.1-A193-B7M-2.1/2x10		2.1/2"x10"	Stud Bolt	Approved By Kapil Aggarwal CEO-MD																																								
AMMENDMENT		Date - 02.08.2018	DIMENSIONS ARE IN MILLIMETERS																																									
DETAILS	REVISION	DATE																																										
REMOVE SHARP EDGES & BURRS		SHEET SIZE A4	SCALE NTS	ROLL FAST STAINLESS STEEL BOLTS HIGH TENSILE BOLTS PRECISION TURNED COMPONENTS																																								
		Big Bolt Nut FASTENERS FOR WIND ENERGY ANCHOR BOLTS & FOUNDATION BOLTS			KAPIL ENTERPRISES 330 EHTP, HSSIIDC, Kundli Industrial Estate Sonapat-Haryana-131028, Ph:9811009061 Email:-sales@bigboltnut.com, kapil@roll-fast.com																																							
A		B		C	D	E	F																																					